TEXAS COMMISSION ON ENVIRONMENTAL QUALITY APPLICATION FOR PERMIT TO APPROPRIATE STATE WATER (SECTION 11.121, 11.042, 11.085 OR 11.143, TEXAS WATER CODE) TAC CHAPTERS 30, 50, 281, 287, 288, 295, 297 AND 299

Water Supply Division, Water Rights Permitting MC-160
P.O. Box 13087

Austin, Texas 78711-3087 Telephone (512) 239-4691, FAX (512) 239-4770

(if including a check, mail directly to P.O. Box 13088, Austin, TX 78711-3088)

Notice: This form will not be processed until all delinquent fees and/or penalties owed to the TCEQ or the Office of the Attorney General on behalf of the TCEQ are paid in accordance with the Delinquent Fee and Penalty Protocol.

1.	Applicant Information.
A.	Applicant Name(s): Decordova Bend Estates
	Mailing Address: 5301 Country Club Drive
	Granbury, Texas 76049
	Telephone Number: <u>(817) 326-2381</u> Fax Number: <u>(817) 326-5783</u>
	Email Address: gm@dcbeweb.com
В.	Customer Reference Number (if issued): CN604050427
	Note: If you do not have a Customer Reference Number, complete Section II of the Core Data Form (TCEQ-10400) and submit it with this application.
C.	Fees and Penalties
	Applicant owes fees or penalties?
	/ Yes / No
	If yes, provide the amount and the nature of the fee or penalty as well as any identifying number:
D.	Lienholder Information
	Provide this information on the holder of any liens on any land to which the water right would be appurtenant):
	None
2.	Dam (structure), Reservoir and Watercourse Data.
A.	Type of Storage Reservoir (indicate by checking (√) all applicable)
	on-channel off-channel existing structure proposed structure* exempt structure**
	Applicant shall provide a copy of the notice that was mailed to each member of the governing body of each county and municipality in which the reservoir, or any part of the reservoir, will be located as well as copies of the certified mailing cards.
	TWC Section 11.143 for uses of water for other than domestic, livestock, or fish and wildlife from an existing, exempt reservoir with a capacity of 200 acre-feet or less. Please complete Paragraph 6 below if proceeding under TWC 11.143.
	Date of Construction: Existing structure was constructed in 2007 - ETF
	* * * * * * * * * * * * * * * * * * *
	μ , γ ,

1) Watercourse: unnamed tributary							
Location from County Seat: 5.8 miles in a SE direction from Granbury Hood County Taxas							
Hood County, Texas. Location from nearby town (if other than County Seat): N/A miles in a N/A direction of the N/A miles in a N/A direction of the N/A miles in a N/A miles in a N/A direction of the N/A miles in a N/A miles in a N/A direction of the N/A miles in a N/A miles i							
				•			
	rom N/A		•			, a n	earby town
	hown on county highway	•					
-	(ip Code: <u>76049</u>	· ·		01116		-	400
	he dam will be/is located	the second secon		•			-180
	Abstract No. A-137						=0 foot
	Station1 on the ce						
	distance) from thes						
	exas, also being at Latitu						
F	Provide the Latitude and Long the method used to calculate t	itude coordinates in	decimal degr				
ι	Ised satellite map to locate co		. diversion n				
	issa satemite map to locate of	pordinates of existing	i diversion be	oint		*	
		oordinates or existing) diversion po	oint		•	
. Rese	rvoir:	e e					
		e e			ı operating	level:	3,0 ac-ft
1	rvoir:	ounded by structu	re at norma	ıl maximum	· ·		
1	rvoir:) Acre-feet of water impo	ounded by structu	re at norma	ıl maximum	· ·		
1 2 . Drain	rvoir:) Acre-feet of water impo	ounded by structur	re at norma mal maximu	al maximun um operatir	ig level:	0.945	acres
1 2 . Drain	rvoir:) Acre-feet of water import) Surface area in acres of age Area drainage area above the of	ounded by structur	re at norma mal maximu	al maximun um operatir	ig level:	0.945	acres
1 2 Drain The c	rvoir:) Acre-feet of water import) Surface area in acres of age Area drainage area above the of	ounded by structured freservoir at noned	re at norma mal maximuacres	al maximum um operatir s or0	ng level:	0.945 quare mile	acres s.
1 2 Drain The 0 Other	rvoir:) Acre-feet of water import) Surface area in acres of age Area drainage area above the of	ounded by structure of reservoir at norre dam is40.5	re at norma mal maximu acres	al maximum um operatir s or0 ce (NRCS)	ng level: .063 so	0.945 quare mile Soil Conse	acres s. ervation
1 Drain The o Other	rvoir:) Acre-feet of water import !) Surface area in acres of age Area drainage area above the of this is a U.S. Natural Re	ounded by structured reservoir at normal dam is 40.5 esources Conservator-retarding structures	re at norma mal maximu acres	al maximum um operatir s or0 ce (NRCS)	ng level: .063 so	0.945 quare mile Soil Conse	acres s. ervation
1 Drain The c Other 1) I	rvoir:) Acre-feet of water imposes) Surface area in acres of age Area drainage area above the of this is a U.S. Natural Reservice (SCS)) floodwater	ounded by structure of reservoir at none dam is40.5 esources Conserva r-retarding structure meN/A	re at norma mal maximu acres ation Servicere, provide	al maximum um operatir s or0 ce (NRCS) the Site No	ng level: .063 so (formerly \$ N/A	0.945 quare mile Soil Conse	acres s. ervation
1 Drain The c Other 1) I	rvoir:) Acre-feet of water imposed) Surface area in acres of age Area drainage area above the of this is a U.S. Natural Reservice (SCS)) floodwater and watershed project nare	ounded by structure of reservoir at none dam is40.5 esources Conserva r-retarding structure meN/A	re at norma mal maximu acres ation Servicere, provide	al maximum um operatir s or0 ce (NRCS) the Site No	ng level: .063 so (formerly \$ N/A	0.945 quare mile Soil Conse	acres s. ervation
Drain The c Other 1) I 3 2	rvoir:) Acre-feet of water imposing age Area drainage area above the of this is a U.S. Natural Reservice (SCS)) floodwater and watershed project nare you request authorization.	ounded by structure of reservoir at normal dam is 40.5 esources Conservative N/A on to close the "possion of the content of th	re at norma mal maximu acres ation Service re, provide orts" or "wir	al maximum um operatir s or0 ce (NRCS) the Site No	og level:solong level:	0.945 quare mile Soil Conse spillway?	acres s. ervation
Drain The (Other 1) I 3 2) D	rvoir:) Acre-feet of water imposing age Area drainage area above the of this is a U.S. Natural Reservice (SCS)) floodwater and watershed project nareo you request authorization.	ounded by structured reservoir at none dam is 40.5 esources Conservator-retarding structure N/A on to close the "posticular of the context of	re at norma mal maximu acres ation Service re, provide orts" or "wir	al maximum um operatir s or0 ce (NRCS) the Site No	of level:	0.945 quare mile Soil Conse spillway?	acres s. ervation
Drain The c Other 1) I 3 2) D Apprinted	rvoir:) Acre-feet of water imposing a creation acres of age Area drainage area above the off this is a U.S. Natural Reservice (SCS)) floodwater and watershed project nare o you request authorization.	ounded by structure of reservoir at normal dam is 40.5 esources Conservative N/A on to close the "posses apporative losses of the second of th	re at norma mal maximu acres ation Service re, provide orts" or "wir	al maximum um operatir s or0 ce (NRCS) the Site No	of level:	0.945 quare mile Soil Conse spillway?	acres s. ervation
Drain The c Other 1) I 3 2) D Apprinted	rvoir:) Acre-feet of water imposing age Area drainage area above the office of this is a U.S. Natural Reservice (SCS)) floodwater and watershed project nareo you request authorization. I Yes INO repriation/Diversion Research and accounting for everyone imposition.	ounded by structure of reservoir at normal dam is40.5	re at norma mal maximu acres ation Service re, provide orts" or "wir	al maximum um operatir s or0 ce (NRCS) the Site No	of level:	0.945 quare mile Soil Conse spillway?	acres s. ervation m projecte
Drain The c Other 1) I 3 2) D Apprinted	rvoir:) Acre-feet of water imposing a general acres of age Area drainage area above the off this is a U.S. Natural Reservice (SCS)) floodwater and watershed project nareo you request authorization. I Yes I No repriation/Diversion Research accounting for every copriated water will be used.	ounded by structure of reservoir at normal dam is 40.5 esources Conservator-retarding structure N/A on to close the "portion of the context o	re at norma mal maximu acres ation Service re, provide orts" or "wir	al maximum um operatir s or0 ce (NRCS) the Site No ndows" in ti	of level:	0.945 quare mile Soil Conse spillway? maximul licable).	acres s. ervation m projecte
Drain The (Other 1) I 2 2) D Apprinted Apprinted Apprinted Apprinted	rvoir:) Acre-feet of water imposes 2) Surface area in acres of age Area drainage area above the of this is a U.S. Natural Reservice (SCS)) floodwater and watershed project nareo you request authorization and accounting for evaluation operated water will be used.	ounded by structure of reservoir at normal dam is 40.5 esources Conservator-retarding structure N/A on to close the "portion of the context o	re at norma mal maximu acres ation Service re, provide orts" or "wir	al maximum um operatir s or0 ce (NRCS) the Site No ndows" in ti	of level:	0.945 quare mile Soil Conse spillway? maximui licable).	acres s. ervation m projecte

В.	Lar	nds to be irrigated (if applicable):					
	1)	Applicant proposes to irrigate a total of12.	6 acres in any one year. This a	creage is all of or			
		part of a larger tract(s) which is described in a supplement attached to this application and					
		contains a total of20.94 acres in	Hood Coun	ty, Texas. A copy			
	of the deed(s) describing the overall tract(s) with the recording information from the county						
		·					
	2)	Location of land to be irrigated: In the	J.H. Casper				
		Original Survey No. P-180, Ak	ostract No. <u>A-137</u> .				
C.	Div	version Point No1	1				
	1)	Watercourse: <u>unnamed tributary</u>					
	2)	Location of point of diversion at Latitude Provide Latitude and Longitude coordinates in decimethod used to calculate the diversion point location	32.252277 °N, Longitude cimal degrees, to at least six decimal pla on	97.415552 °W, ces, and indicate the			
		also bearing <u>N 27</u> °	30' E	850 feet			
		(distance) from the SE col					
		Survey No. P-180 , Abstract N	•				
	3)	Location from County Seat: 5.8 mil	•				
		<u>Granbury</u> ,	Hood Coun	ty,Texas.			
		Location from nearby town (if other than Cou					
		direction from N/A	, a nearby town shown	on county			
		highway map.		·			
	4)	Zip Code: <u>76049</u>	•				
		5) The diversion will be (check (√) all appropriate boxes and if applicable, indicate whether existing or proposed):					
	5)		e boxes and if applicable, indicate v	vhether existing or			
			e boxes and if applicable, indicate very serious and indicate very serious a	vhether existing or Proposed			
	ם	proposed):					
	D Fr	proposed): Pirectly from stream					
	D Fr Fr	proposed): pirectly from stream rom an on-channel reservoir					
	D Fr Fr	proposed): Pirectly from stream Tom an on-channel reservoir Tom stream to an off-channel reservoir	Existing				
	D Fr Fr Fr	proposed): pirectly from stream rom an on-channel reservoir rom stream to an off-channel reservoir rom a stream to an on-channel reservoir	Existing				
	D Fr Fr Fr O	proposed): pirectly from stream rom an on-channel reservoir rom a stream to an off-channel reservoir rom a stream to an on-channel reservoir rom an off-channel reservoir ther method (explain fully, use additional sheets if necessary)	Existing				
	D Fr Fr Fr	proposed): proposed): promain on-channel reservoir rom astream to an off-channel reservoir rom a stream to an on-channel reservoir rom an off-channel reservoir ther method (explain fully, use additional sheets if necessary) Rate of Diversion (Check (√) applicable prov	Existing				
	D Fr Fr Fr O	proposed): pirectly from stream rom an on-channel reservoir rom a stream to an off-channel reservoir rom a stream to an on-channel reservoir rom an off-channel reservoir ther method (explain fully, use additional sheets if necessary) Rate of Diversion (Check (√) applicable prov 1. Diversion Facility:	Existing				
	D Fr Fr Fr O	proposed): proposed): promain on-channel reservoir rom astream to an off-channel reservoir rom a stream to an on-channel reservoir rom an off-channel reservoir ther method (explain fully, use additional sheets if necessary) Rate of Diversion (Check (√) applicable prov	Existing / / / / / / / / / / / /				

	D. <u>N/A</u> gpm, Pump capacity of each pump
	E. Portable pump Yes or √ No.
	$\sqrt{2}$. If by gravity:
	A Headgate√ Diversion Dam82,070 Maximum gpm
	B. Other method (explain fully - use additional sheets if necessary)
	BOffice method (explain fail) - age additional shocks it necessary)
	7) The drainage area above the diversion point is <u>40</u> acres or <u>0.0625</u> square miles.
	Return Water or Return Flow (location and quantity information, provide Latitude and Longitude coordinates in
	nal degrees to at least six decimal places and indicate the method used to calculate the diversion point location):
N/A	
	Water which is diverted but not consumed as a result of the above stated use, will be returned to
	, tributary of
	, tributary of
	Basin, at a point which is at Latitude
	°□□□N, Longitude°W, also, bearing
	(direction), feet (distance) from the
	corner of the Original Survey
	No, Abstract No, inCounty, Texas.
	Zip Code:
	Estimated annual amount of return flow to said stream will beacre-feet.
	Surplus Water (provide Latitude and Longitude coordinates in decimal degrees to at least six decimal places and
	Water which is diverted but not used beneficially will be returned to unnamed tributary,
	tributary of the Brazos River , Brazos River Basin at a point
	which is at Latitude 32.25169 °N, Longitude 97.415312 °W, also
	bearing N 27 ° 30' E (direction), 850 feet (distance) from the SE corner
	of the <u>J.H. Jasper</u> Original Survey
•	No. P-180 , Abstract No. A-137 , in Hood County, Texas.
	·
	Zip Code: 76049
	Discharge Point Information (if applicable, provide Latitude and Longitude coordinates in decimal degrees to at t six decimal places and indicate the method used to calculate the diversion point location).
	Discharge Point No. or Name:1
A.	Select the appropriate box for the source of water being discharged:
	☐ Treated effluent
	□ Groundwater
	√ Other <u>runoff</u>
B.	Location of discharge point will be/is at Latitude 32.25169 °N, Longitude 97.415312 °W,
	also bearing N 27 ° 30' E , 850 feet from the SE corner of the J.H. Casper
For	n TCEQ-10214 (revised 02/10) Page 11

	Original Survey No. P-180 , Abstract No. A-137 , in Hood County, Texas.
	What method was used to determine the Latitude and Longitude for the discharge point? (i.e., GPS Unit, USGS 7.5 Topographic Map, etc.)
	Used satellite map to locate coordinates of existing diversion point
C.	Location from County Seat: 5.8 miles in a SE direction from Granbury ,
	Hood County, Texas.
	Location from nearby town (if other than County Seat): <u>N/A</u> miles in a <u>N/A</u>
	direction from <u>N/A</u> , a nearby town shown on county highway map.
D.	Zip Code:
E.	Water will be discharged into <u>unnamed tributary</u> stream/reservoir, (tributaries) <u>of the Brazos River</u>
	Brazos River Basin.
F.	Water will be discharged at a maximum rate of <u>0.557</u> cfs (<u>250</u> gpm).
G.	The amount of water that will be discharged isacre-feet per year.
Н.	The purpose of use for the water being discharged will be <u>returned to the stream</u> .
I.	Additional information required:
	For groundwater
	1) Provide water quality analysis and 24 hour pump test for the well if one has been conducted.
	2) Locate and label the groundwater well(s) on a USGS 7.5 Minute Topographic Map
	 Provide a copy of the groundwater well permit if it is located in a Groundwater Conservation District.
	4) What aquifer the water is being pumped from?
	For treated effluent
	1) What is the TPDES Permit Number? Provide a copy of the permit.
	2) Provide the monthly discharge data for the past 5 years.
	3) What % of treated water was groundwater, surface water?
	4) If any original water is surface water, provide the base water right number.
5. (General Information.
A.	The proposed or existing √ works will be (are) located on the land ofapplicant
_	, whose mailing address is <u>5301 Country Club Drive Granbury, TX 76049</u>
В.	If an application for the appropriation is granted, either in whole or in part, construction works will
	begin within N/A after such permit is issued. The proposed work will be
	completed within N/A from the date the permit is issued.
C.	A Water Conservation Plan is attached? Yes No.
D.	
	N/A Applicant requests authorization to transfer N/A acre-feet of water per year from the

	N/A	Basin to the	N/A	Basin of which
	N/A acre-feet of water	will be used for	N/A	purposes and
	N/A acre-feet of water	will be used for	N/A	purposes.
Ε.	N/A Bed and Banks requ			
	and banks of N/A		- N/A)
	N/A	Basin.		
F.	Is this project located within 2	:00 river miles of the coast?	Yes	NoUnknown
5.	Maps, plats, plans, and dra Sections.	wings accompany this ap	plication as req	uired by applicable TAC
	VesNo. Att	ach additional sheets.	•	
6.	NO The dam(s) and rese domestic and livestock purpo Water Code.	rvoir(s) shown on the attac ses and I/we elect to seek		
7.	Provide information describing is consistent with the state with the proposed appropriation of this requirement.	ater plan or the applicable a	approved regions	l water plan for any area in
	This application addresses a community development was without the appropriation of t and thus should be considered with the Brazos River Author	s constructed. The golf cour his water supply. The existi ed a grandfathered applicat	se and developn ng reservoir has ion. The applicar	nent are not sustainable been in operation since 1997 It has been under contract
_	Ju De		Joh //	Marshall
	Applicant Name	(Sign)	Applicant	Name (Sign)
	hesLie R K		Toballi la Applicant	412.5 11.4 / Name (Printed)
SV	VORN TO AND SUBSCRIBED	before me this 5 da	ay of Feb	. 20 13
	THE PURE	THERESA TAYLOR NOTARY PUBLIC		
	* The state of the	STATE OF TEXAS My Comm. Expires 07-29-2016	Notary Public	for the State of Texas